



CESTAL00001


Profilo a sezione rotonda. Grazie alla sua versatilità, utilizzando gli appositi accessori, si presta ad applicazioni quali: illuminazione di velette con possibilità di orientare il fascio luminoso, illuminazione ambientale con applicazione a sospensione oppure a plafone per finire con applicazioni decorative. Utilizzabile anche con strip con grado di protezione IP67 per applicazioni in esterno.

Round section profile. Thanks to its versatility, using the appropriate accessories, it is suitable for applications such as: veils lighting with the possibility to adjust the light beam, environment lighting with suspended or ceiling-mounted applications to finish with decorative applications. Can also be used with IP67 protection strips for outdoor applications.



Profilo adatto per la realizzazione di prodotti che hanno ottenuto la certificazione ETL LISTED di conformità ai requisiti di sicurezza per USA e Canada.

Profile suitable for the realization of products that have obtained the certification ETL LISTED for compliance with safety requirements for USA and Canada.



CESTAL00001




Materiale: Estruso in alluminio
Material: Extruded aluminum


Dimensione: Ø17 × 13 mm
Dimension:

Lunghezza: Fino a 6 metri
Length: Up to 6 meters


Tipi di installazione Types of installation



Plafone
Ceiling



Sospensione
Suspension



Catenaria
Hanging light chain

Finiture Finishing

---.A1

---.A5



All. Anodizzato
Anod. aluminum



Nero
Black



CROMALINE

TERMINALI END CAPS

CMATVA00001.--



.A0 .A5

Coppia di tappi in plastica
Couple of plastic caps

CMATVA00001 Q.--



.A0 .A5

Coppia di tappi in plastica
lente 40°
Couple of plastic caps
40° lens

CMATVA00001 S.--



.A0 .A5

Coppia di tappi in plastica
copertura stondata
Couple of plastic caps
rounded cover

.A5 Nero Black
.A0 Opalino Opal

ACCESSORI ACCESSORIES

CMATVA00008




Clip di fissaggio in acciaio
Steel fixing clip

CMATVA00700



Kit sospensione
Suspension kit


CMATVA00720.--



.A5 .A8

Rosone di cablaggio tondo
Wiring round rosette

CMATVA00721.--




.A5 .A8

Rosone di cablaggio quadrato
Wiring square rosette

DIFFUSORI DIFFUSERS

CESTPL00001



Trasparente
Transparent



14 mm

CESTPL00002



Opalina
Opal



14mm

CESTPL00007



Lente 40°
40° Lens



18,5 mm

CESTPL00014





Stondata - opalina
Rounded - opal



18 mm



Strip LED compatibili
Compatible LED strip





SOSPENSIONE SUSPENSION

CESTAL00001

CMATVA00701



CMATVA00720.--



CATENARIA HANGING LIGHT CHAIN

CESTAL00039

