


CESTAL00116

Profilo progettato per applicazioni in esterno dove è necessaria un'elevata resa luminosa. Il profilo può essere utilizzato con LED di potenza ed ottiche differenti per avere l'effetto di lavaggio della parete oppure per andare ad illuminare insegne e valorizzare elementi architettonici quali archi e colonne. Il profilo viene principalmente montato con l'utilizzo di staffe che lo rendono orientabile. La copertura è realizzata attraverso la colatura della resina poliuretanica che rende il profilo ideale per esterni grazie alla sua protezione IP67.

Profile designed for outdoor applications where high light output is required. The profile can be used with power LEDs and several optics to have the wall washer effect or to go to illuminate signs and enhance architectural elements such as arches and columns. The profile is mainly mounted with brackets that make it adjustable. The cover is made by pouring polyurethane resin which makes the profile ideal for outdoor use thanks to its IP67 protection.



ITALCEMENTI
Bergamo

www.stealthlight.it

CESTAL00116




Materiale: Estruso in alluminio
Material: Extruded aluminum

Dimensione: 35 × 25 mm
Dimension:

Lunghezza: Fino a 6 metri
Length: Up to 6 meters

Tipi di installazione Types of installation



Terra
Floor

Finiture Finishing

---.A1

---.A5



All. Anodizzato
Anod. aluminum

Nero
Black

CROMALINE



Strip LED compatibili
Compatible LED strip

TERMINALI END CAPS

CMATVA00116

CMATVA00116 S



.A5

.A5

Coppia di tappi in metallo
Couple metal caps


Coppia di tappi in metallo
con staffa orientabile
Couple metal caps with
adjustable brackets

.A5


Nero Black

DIFFUSORI DIFFUSERS

CESTPL00116




Cover in resina
poliuretanica colata
Cover made by PU potted



TERRA ORIENTABILE ADJUSTABLE FLOOR

CESTAL00116

CMATVA00116 S



IPERTOSANO PEDEROBBA

Veneto